

IC02 Rec'd PCT/TO 29 MAR 2002

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

13102.6USWO

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)

UNKNOWN 10/089611

INTERNATIONAL APPLICATION NO.

PCT/IN00/00079

INTERNATIONAL FILING DATE

25-AUGUST-2000

PRIORITY DATE CLAIMED

1-OCTOBER-1999

TITLE OF INVENTION

AN IMPROVED PHARMACEUTICAL COMPOSITION AND A PROCESS FOR ITS PREPARATION

APPLICANT(S) FOR DO/EO/US


RAO, PAVULURI VENKATESWARA; KHADGAPATHI, PODILI

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(I).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☒ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

**Items 11. to 16. below concern document(s) or information included:**

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98, Form 1449, 4 references.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment, Marked Up Version, Abstract page.  
☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information: PCT/ISA/210; PCT/IB/308; PCT/IB/332; PCT/RO/101

U.S. APPLICATION NO (If known, see 37 CFR 1.5) <b>UNKNOWN 10/089611</b>		INTERNATIONAL APPLICATION NO PCT/IN00/00079		JCI0101557-5570 29 MAR 2002 PUBLICATION DECKET NUMBER 13102.6USWO	
17. [X] The following fees are submitted:  <b>BASIC NATIONAL FEE (37 CFR 1.492(a) (1)-(5)):</b> Search Report has been prepared by the EPO or JPO.....\$890.00  International preliminary examination fee paid to USPTO (37 CFR 1.492(a)(1)).....\$710.00  No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)).....\$740.00  Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(3)) paid to USPTO ..... \$1040.00  International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4).....\$100.00				<b>CALCULATIONS</b> PTO USE ONLY	
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				\$890.00	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than [ ] 20 [ ] 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$0	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	10                      -20 =	18	X \$18.00	\$0	
Independent claims	3                                -3 =	84	X \$80.00	\$0	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$260.00	\$0	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$890.00	
Reduction by 1/2 for filing by small entity, if applicable. Small entity status is claimed pursuant to 37 CFR 1.27				\$0	
<b>SUBTOTAL =</b>				\$890.00	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than [ ] 20 [ ] 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				+ \$0	
<b>TOTAL NATIONAL FEE =</b>				\$890.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)) The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				+ \$0	
<b>TOTAL FEES ENCLOSED =</b>				\$890.00	
				Amount to be:	
				refunded	\$0
				charged	\$0
a. [X] Check(s) in the amount of <u>\$890.00</u> to cover the above fees is enclosed.					
b. [ ] Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. [X] The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>13-2725</u> .					
<b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</b>					
SEND ALL CORRESPONDENCE TO Douglas P. Mueller MERCHANT & GOULD P.O. Box 2903 Minneapolis, MN 55402-0903			SIGNATURE:  NAME: Douglas P. Mueller REGISTRATION NUMBER: 30,300		


1010 Rec'd PCT/PTO 29 MAR 2002

S/N unknown

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: RAO, et al. Examiner: unknown  
 Serial No.: unknown Group Art Unit:  
 Filed: March 29, 2002 Docket No.: 13102.6USW1  
 Title: AN IMPROVED PHARMACEUTICAL COMPOSITION AND A  
 PROCESS FOR ITS PREPARATION

<p><u>CERTIFICATE UNDER 37 C.F.R. 1.10</u>                  "Express Mail" mailing label number EV077885144US                  Date of Deposit March 29, 2002</p> <p>I hereby certify that this paper or fee is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to Commissioner for Patents, Washington, D.C. 20231</p> <p>By                   Name Chris Stordahl</p>
--

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents  
 Washington, D. C. 20231

Dear Sir:

In connection with the above-identified application filed herewith, please enter the following preliminary amendment:

IN THE CLAIMS

Please amended the claims as follows:

3. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein the enteric polymer employed for coating the gelatin shell is selected from polymers such as hydroxypropyl methyl cellulose phthalate, alkyl methacrylate and methacrylic acid copolymers, polyvinyl acetate phthalate and the like in the form of free acid or their ammonia or alkali metal salts and the amount employed ranging from 5.0 to 40.0 percent, preferably 5.0 to 25.0 percent by weight, with reference to the dried shell.

4. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein the benzimidazole derivative in the formulation is suspended / solubilised in a hydrophobic oily substance selected from fats and oils of vegetable origin such as sesame oil, corn oil, maize oil, soybean oil, sunflower oil, arachis oil, gingly oil and the like; animal origin such as fish oil, pig oil, beef oil and the like; esters of straight chain aliphatic oils such as Sunsoft 700 P-2 (Taiho chemical company) Panasete 810 (Nippon oils and Fats); hydrogenated vegetable oils or a mixture thereof and the amount of hydrophobic oily substance used ranging from 50.0 to 80.0 percent by weight, with reference to the contents filled in capsules.

5. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein substances such as colloidal silicon dioxide, polyvinylpyrrolidone are used as dispersing agents in an amount ranging from 0.5 to 20.0 percent preferably 1.0 to 10.0 percent by weight and materials such as glyceryl monostearate, lecithin, polyoxyethylene castor oil derivative such as Cremophor RH 40, Cremophor EL (BASF) polyoxyethylene sorbitan fatty acid esters, sodium lauryl sulphate, docusate sodium and the like are used as surface active agent and / or a solubilising agent and the amount of surface active agent and/or solubilising agent ranging from 2.0 to 20.0 percent, preferably 5.0 to 15.0 percent by weight, with reference to the contents filled in capsule.

6. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein materials such as the sodium, potassium, calcium, magnesium and aluminium salts of phosphoric acid, carbonic acid, citric acid, other suitable organic or inorganic acids; substances used in antacid preparations; meglumine; triethanolamine and the like are used as alkaline inert reacting materials and the amount ranging from 5.0 to 40.0 percent, preferably 10.0 to 25.0 percent by weight, with reference to the contents filled in capsule.

7. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein the soft gel capsules are treated with a gelatin cross linking agent such as formaldehyde, glutaraldehyde, crotonaldehyde, 1,2-phthalic acid aldehyde, 1,3-phthalic acid aldehyde, 1,4-phthalic acid aldehyde; carboimides such as 1-ethyl-3-[2-morpholinyl-(4)-ethyl]-carboimide- metho-P-toluene-sulfonate and the like.

8. (AMENDED) A pharmaceutical composition as claimed in claim 1 wherein the soft gel capsules are treated with cold dilute solutions of acids selected from hydrochloric acid, sulphuric acid, nitric acid, phosphoric acid, citric acid, propionic acid, benzoic acid, oxalic acid, maleic acid, fumaric acid and the like.

1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

Applicants respectfully request that the preliminary amendment described herein be entered into the record prior to calculation of the filing fee and prior to examination and consideration of the above-identified application.

Respectfully submitted,

Dated: March 29, 2002

DPM/rw

## AN IMPROVED PHARMACEUTICAL COMPOSITION AND A PROCESS FOR ITS PREPARATION.

5 The present invention relates to an improved pharmaceutical composition and a process for its preparation. The present invention particularly relates to an improved pharmaceutical composition, in the form of a soft gel capsule resistant to digestive juice. The composition of the present invention is made up of gelatin and an enteric polymer in the form of free acid or its salt,  
10 containing a benzimidazole derivative used in the treatment of duodenal ulcers, solubilised and/or suspended in a liquid or semisolid medium, comprising of a hydrophobic carrier, an alkaline inert reacting material and a surface active agent and/or a solubilising agent. The present invention also relates to a method for preparing the above said pharmaceutical composition.

15 Benzimidazole derivatives such as Omeprazole, Lansoprazole Timoprazole and Pantoprazole etc., are known potent proton pump inhibitors with powerful inhibitory action against the secretion of gastric juice (Lancet, Nov. 27, 1982 pages 1223-1224). They are used in the treatment of Zollinger - Elision  
20 syndrome and stress related esophagitis ulceration. The derivatives are well known and are described, for example in EP-A 0005129.

It has been found that these benzimidazole derivatives, and in particular omeprazole, are susceptible to degradation in acid and neutral media. It is  
25 known to protect oral dosage forms of such benzimidazole derivatives by providing an enteric coating. In this way, the active material is protected from acidic gastric juices until it reaches the desired site of release, e.g. the small intestine. Because certain enteric coatings themselves can be, or contain, acidic material, it also often is required to protect the benzimidazole derivatives  
30 from the acidity of the enteric coating. For example, it is known to formulate the benzimidazole derivatives with an alkaline material before applying the enteric coating. It is also known to provide an intermediate coating between the benzimidazole derivative and the enteric coating. Generally the intermediate coating is selected so as to be substantially water-soluble or  
35 water-dispersible.

EP-A-024 7983; US 4,786,505; US 4,853,230 and US 5,385,739 describe oral pharmaceutical preparations containing benzimidazole derivatives that are  
40 potent inhibitors of gastric acid secretion, which are composed of a core material in the form of small beads or tablets containing one of the

benzimidazole derivatives, particularly omeprazole, together with an alkaline reacting compound. The core material contains one or more inert reacting sub-coating layers thereon thereby providing a final outer enteric coating. Although the above-described compositions are reasonably stable over an extended period of storage, discoloration of the pellets and / or tablets with reduced gastric resistance and reduction of dissolution rate in alkaline buffers was observed.

Moreover the processes disclosed above are time-consuming and laborious, involving many stages in manufacturing of the composition, consequently increasing the cost of the final composition.

In a German patent DE 32 22 476 a pharmaceutical composition has been described in which a soft gelatin capsule that is resistant to digestive juice, whose wall includes a usual gelatin mass which contains polyvinyl acetate phthalate, hydroxypropyl methyl cellulose phthalate or a vinyl acetate / crotonic acid copolymer and/or an alkali metal salt, ammonia salt or amino salt of the same in their wall, and which released its contents readily in the intestines within the prescribed time. The capsules are further treated on the surface with an aldehyde-coating agent.

With the capsule shell composition described in DE 32 22 476 above, if used as such for manufacturing capsules containing one of the benzimidazole derivatives in a conventional manner, the free acidic groups of the polymer in the shell composition reacts with the benzimidazole derivatives and reduces the efficacy of the product during its storage / shelf life period.

The above said prior art processes also have the following drawbacks: -

Requirement of sophisticated coating equipment and large amounts of organic solvents / alkali salts are employed to dissolve the enteric polymers for coating the fine particles.

The active substance(s), benzimidazole derivatives, needs to be protected by a sub coat from the reacting acidic groups present in the enteric polymers.

The processing time and the number of steps involved are many.

The resulting product, i.e., pellets / beads / tablets, has to be dried to keep moisture content below 1.5% to ensure drug stability during processing and through its shelf storage.



The active substance(s), benzimidazole derivatives, present in the final formulation as solid dispersed in a hydrophilic solid matrix and hence requires some time to dissolve into the surrounding intestinal fluid before being absorbed.

Large quantities of polymer i.e. 15-25% w/w, based on product, need to be applied to achieve desired gastric protection.

The pH of medium used to suspend / solublise the drug needs to be adjusted to alkaline condition i.e. above pH 8.0 to prevent degradation during processing.

The micro environment surrounding the core also contains alkaline material to neutralise the acidic medium that permeates the outer enteric coating during the product transit through stomach.

In case of pellets / beads large surface area needs to be coated with protective polymer sub-coat.

Considering the importance gained for the composition containing benzimidazole derivatives, particularly for the treatment of duodenal ulcers, there is a need for the development of pharmaceutical composition containing said derivatives having stability for an extended period during which period the composition does not get discoloured and / or degraded.

The present invention is directed to the production of soft gelatin capsules in a conventional manner using gelatin mass having an enteric polymer incorporated into it and to incorporate a mixture containing benzimidazole derivative, and an alkaline reacting substance with larger quantities of hydrophobic oily substance or a mixture of such oily substances into the gelatin shell. The resulting capsules being insoluble up to a pH value of 5.5 in aqueous media, but quickly dissolving above a pH of 6.0.

The invention has been developed based on our finding as a result of sustained R & D work, that the incorporation of benzimidazole derivatives, particularly useful for the treatment of duodenal ulcers, along with an alkaline inert reacting material into a hydrophobic oily substance wherein the benzimidazole derivative is in the form of solution or dispersion, results in extended periods of stability during which period the composition does not get discolored and / or degraded.

In other words, the active ingredient in the composition is kept partially in the form of solution and partially in the form of finely divided particles suspended freely in the oily substance which makes the active ingredient readily absorbable the moment the gastric resistant but intestinal soluble gelatin composition is dissolved.

Such a composition will have an advantage over the existing form of the formulation as the available dosage forms for benzimidazole derivatives are having the total amount of active ingredient in the form of solid particles engulfed in a solid matrix of excipients preferably hydrophilic substances, further coated with protective and gastric resistant enteric polymer coatings. It may take some time to dissolve these coats before the benzimidazole derivative is dissolved into the surrounding intestinal fluid and gets absorbed.

Accordingly the main objective of the present invention is to provide an improved pharmaceutical composition containing benzimidazole derivatives having enhanced stability during storage.

According to another objective of the present invention there is provided intestine dissoluble soft gel capsule composition comprising gelatin and an enteric polymer in the form of a free acid or its salt and the pharmaceutical composition comprises benzimidazole derivatives, in particular omeprazole, incorporated in an oily base which is stable during shelf storage.

Still another objective of the invention is to provide a pharmaceutical composition comprising benzimidazole derivatives, to be filled into soft gel capsules, which composition reduces degradation of the benzimidazole derivatives during storage / shelf life.

According to still another objective of the invention there is provided a process for preparation of soft gel capsules comprising benzimidazole derivatives that are resistant to the digestive / gastric juice, a gelatin mass and an enteric polymer in the form of a free acid or as its salt.

Accordingly, the present invention provides, an improved pharmaceutical composition in the form of a soft gel capsule resistant to gastric juice and soluble in intestine useful for the treatment of duodenal ulcers and related ailments which comprises a gelatin shell which is resistant to gastric juice and soluble in intestine having an enteric polymer coating in the form of free acid or its salt, the capsule incorporating a composition comprising of benzimidazole derivative, a hydrophobic oily substance or a mixture of such

oily substances, an alkaline inert reacting material, a dispersing agent, a surface active agent and / or a solublising agent; the resulting capsules being insoluble in aqueous medium up to a pH of 5.5 but quickly dissolving above pH of 6.0.,

5

According to another feature of the present invention, there is provided a process for the preparation of a pharmaceutical composition in the form of a soft gel capsule resistant to gastric juice and soluble in intestine useful for the treatment of duodenal ulcers and related ailments which comprises forming a  
10 gelatin shell which is resistant to gastric juice and soluble in intestine having an enteric polymer coating in the form of free acid or its salt, incorporating into the resultant capsule a composition comprising a benzimidazole derivative, a hydrophobic oily substance or a mixture of such oily substances, such substance(s) being insoluble in aqueous medium up to a pH of 5.5 but quickly  
15 dissolving above pH of 6.0., an alkaline inert reacting material, a dispersing agent, a surface active agent and / or a solublising agent.

The capsules so formed are insoluble in aqueous medium up to a pH of 5.5 but quickly dissolve above pH of 6.0.

20

In a preferred embodiment of the invention, the enteric polymer used in the soft gel capsule composition may be selected from among the polymers but not limited to free acid forms of hydroxypropyl methyl cellulose phthalate, alkylmethacrylate and methacrylic acid ester copolymers, polyvinylacetate  
25 phthalate and the like or their ammonia or alkali metal salts. The amount of such enteric polymer employed may range from 5.0 – 40.0 percent, preferably 5.0 – 25.0 percent by weight with reference to the dried shell.

The gelatin mass into which the enteric polymer is incorporated is made up of a composition known in the art and contains gelatin, a plasticizer, preservatives,  
30 colourants, opacifiers, flavours etc., as required.

In order to carry out faster dissolution of the enteric polymer for preparing the capsule shell composition, the polymer is first dispersed in water, then an  
35 aqueous solution of ammonia or alkali metal salt is mixed while stirring. When alkali metal salt is used it may be selected from substances such as sodium hydroxide, potassium hydroxide, bicarbonate sodium, potassium bicarbonate, sodium carbonate, potassium carbonate etc. The quantity of the base materials used is such that it is sufficient to neutralise 60 to 100 percent of the free acid  
40 groups present in the selected enteric polymer.

The excess ammonia or alkali has to be removed from the capsule shell composition to avoid decomposition of the ester couplings in enteric polymers. When aqueous ammonia solution is used to prepare polymer solution, the  
5 excess ammonia has to be removed before preparing the capsule after mixing with the gelatin mass, by mixing the mass under reduced pressure in warm condition.

When alkali metal salts are used, the excess alkali is to be neutralized by  
10 treating the capsules with an acid selected from any of the following ones, hydrochloric acid, sulphuric acid, nitric acid, phosphoric acid, mono carboxylic acids such as acetic acid, propionic acid, benzoic acid etc., dicarboxylic acids such as oxalic acid, maleic acid, fumaric acid etc. The acids are used in the  
15 form of cold dilute aqueous solutions in the concentration range of 3 to 30% depending on the type of acid used. The acid treatment may be carried out after manufacturing and partial drying of the capsules to avoid deformation and / or leakage of the capsule contents.

According to another feature of the invention the soft gel capsules are  
20 optionally treated with a cross-linking agent that reacts with gelatin and makes it insoluble in gastric juice. The cross-linking agent may be selected from among the aldehydes such as formaldehyde, glutaraldehyde, crotonaldehyde 1,2-phthalic acid aldehyde, 1,3-phthalic acid aldehyde, 1,4-phthalic acid  
25 aldehyde or carbodiimides like 1-ethyl-3-[2-morpholinyl-(4)-ethyl]-carbodiimide-metho-p-toluene-sulfonate. The treatment may be done by either coating 0.05 to 1.0% w/v of the substance in an alcohol containing aqueous solution on to the soft gel capsule surface or mixing these substances in the gelatin mass before capsule manufacturing.

30 According to another feature of the invention the pharmaceutical composition containing benzimidazole derivative, known for its potent proton pump inhibition with powerful inhibitory action against the secretion of gastric juice, is prepared by suspending and/or solubilising the benzimidazole derivative in a carrier mixture composed of a hydrophobic oily carrier material, an alkaline  
35 inert reacting material and a dispersing agent and/or a surface active agent. surface active agent. The amount of such benzimidazole derivative used is equivalent to one unit dose recommended depending on the benzimidazole derivative incorporated i.e. for omeprazole the amount incorporated into enteric soft gel capsule may range from 10.0 to 60.0mg per capsule, preferably  
40 20.0 to 40.0 mg per capsule.

The hydrophobic oily material may be selected from among the following fats and oils: Fats and oils of vegetable origin such as sesame oil, corn, maize oil, soybean oil, sunflower oil, arachis oil, gingly oil etc.; animal oils such as fish oil, pig oil, beef oil etc.; esters of straight chained aliphatic oils contained in glycerol such as Sunsoft 700 P-2 (a monoester substance manufactured by Taiho Chemicals Company) Panasete 810 ( a triester substance, manufactured by Nippon Oils and Fats); hydrogenated vegetable oils or a mixture thereof. The amount of such hydrophobic oily material may range from 50.0 to 80.0 percent by weight with reference to the contents filled in a capsule.

The alkaline buffering material present in the pharmaceutical composition may be selected from among but are not restricted to substances such as the sodium, potassium, calcium, magnesium and aluminum salts of phosphoric acid, carbonic acid, citric acid, other suitable organic or inorganic acids; substances used in antacid preparations; meglumine; triethanolamine etc. The amount of such alkaline buffering material present in the composition may range from 5.0 to 40.0 percent, preferably 10.0 to 25.0 percent by weight with reference to the contents filled in capsule.

The substances that increase viscosity of the oily material either by dissolving or by forming a colloidal dispersion are used as dispersing agents. The dispersing agent is selected from among but not restricted to colloidal silicon dioxide, polyvinylpyrrolidone etc. The mount of such suspending agent present in the composition may range from 0.5 to 20.0 percent preferably 1.0 to 10.0 percent by weight with reference to the content filled in capsules.

The surface active agent used as solublising and / or dispersing agents is selected from among but is not restricted to substances such as glyceryl monostearate, polyoxyethylene castor oil derivatives such as Cremophor RH 40, Cremophor EL (Make : BASF Corporation), lecithin, polyoxyethylene sorbitan fatty acid esters, sodium lauryl sulphate, docusate sodium etc. The amount of such surface active agent present in the composition may range from 2.0 to 20.0 percent preferably 5.0 to 15.0 percent by weight with reference to contents filled in capsule.

The seamless soft gel capsules can be manufactured on a rotary die machine filling with the liquid and / or semi solid composition containing benzimidazole derivatives.

WO 01/24780

PCT/IN00/00079

The invention is described in detail in the examples given below which are provided by way of illustration only and therefore should not be construed to limit the scope of the invention.

5

# EXAMPLE - 1

## a) Composition of the Soft gelatin shell:

Name of the ingredient	Percent by wt.
Gelatin	35.0
10 Glycerin	17.5
Water	20.0
Hydroxypropyl methyl cellulose phthalate	7.5
Ammonia solution (25%w/v)	20.0

15

Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Hydroxypropyl methylcellulose phthalate is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to

20

remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

## b) Composition of the medicament:

25	Name of the ingredient	mg / Capsule
	Soybean oil	280.0
	Omeprazole	20.0
	Meglumine	20.0
30	Lecithin	30.0

Lecithin is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

35

## c) Manufacturing of capsule;

40

This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 2****5 a) Composition of the Soft gelatin shell:**

	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	30.0
10	Glycerin	15.0
	Water	20.0
	Hydroxypropyl methyl cellulose phthalate	10.0
	Ammonia solution (25%w/v)	25.0

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Hydroxypropyl methyl cellulose phthalate is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to  
20 remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

**b) Composition of the medicament :**

	<b>Name of the ingredient</b>	<b>mg / Capsule</b>
25	Soybean oil	280.0mg
	Omeprazole	20.0mg
	Meglumine	20.0mg
30	Lecithin	30.0mg

Lecithin is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**35 c) Manufacturing of capsule:**

This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion  
40 containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 3****a) Composition of the Soft gelatin shell:**

5	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	40.0
	Glycerin	17.5
10	Water	20.0
	Hydroxypropyl methyl cellulose phthalate	5.0
	Ammonia solution (25%w/v)	17.5

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Hydroxypropyl methyl cellulose phthalate is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to  
20 remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

**b) Composition of the medicament:**

25	<b>Name of the ingredient</b>	<b>mg / Capsule</b>
	Soybean oil	280.0mg
	Omeprazole	20.0mg
	Meglumine	20.0mg
	Lecithin	30.0mg

30 Lecithin is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**c) Manufacturing of capsule:**

35 This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation  
40 machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.



**EXAMPLE - 4****a) Composition of the Soft gelatin shell:**

Name of the ingredient	Percent by wt.
------------------------	----------------

5

Gelatin	35.0
---------	------

Glycerin	17.5
----------	------

Water	25.0
-------	------

Hydroxypropyl methyl cellulose phthalate	7.5
--	-----

10

Ammonia solution (25%w/v)	15.0
---------------------------	------

9

5  
15  
20

Gelatin mass containing hydroxypropyl methyl cellulose is prepared by dispersing hydroxypropyl methyl cellulose phthalate in the form of a fine powder in a mixture of glycerin and water maintained at 70°C in which gelatin is dispersed to dissolve forming the gelatin mass. After cooling the mass to 45°C, ammonia solution is added slowly along the stirrer rod while stirring into the gelatin preparation tank. Stirring is continued till hydroxypropyl methyl cellulose phthalate is completely dissolved. The mass is made bubble free by applying vacuum while maintaining the mass at 45 - 50°C under continuous mixing.

**b) Composition of the medicament:**

Name of the ingredient	mg / capsule
------------------------	--------------

25

Soybean oil	200.0mg
-------------	---------

Cremohor RH 40	40.0mg
----------------	--------

Lansoprazole	30.0mg
--------------	--------

Disodium hydrogen orthophosphate	30.0mg
----------------------------------	--------

30

Anhydrous

35

Cremophor RH 40 is dispersed in soybean oil at 30°C. After cooling to room temperature Lansoprazole and disodium hydrogen orthophosphate are dispersed in to the mixture in the form of fine particles with the help of a mechanical stirrer and / or a homogeniser.

**c) Manufacturing of capsule:**

40

This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 5****a) Composition of the Soft gelatin shell:**

5	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	35.0
	Glycerin	15.0
	Water	20.0
10	Hydroxypropyl methyl cellulose phthalate	10.0
	Sodium hydroxide solution 1% w/v	20.0

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Hydroxypropyl methyl cellulose phthalate is dissolved by stirring in to sodium hydroxide solution at room temperature. Hydroxypropyl methyl cellulose phthalate solution in ammonia is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

20

**b) Composition of the medicament:**

	<b>Name of the ingredient</b>	<b>mg / capsule</b>
25	Soybean oil	200.0mg
	Hydrogenated vegetable oil	85.0mg
	Lecithin	20.0mg
	Pantoprazole Sodium	45.0mg
	Meglumine	20.0mg

30

Hydrogenated vegetable oil is melted and dispersed into soybean oil at 30 - 40°C followed by lecithin, meglumine and pantoprazole sodium and cooled to room temperature. The mixture is kneaded into a smooth paste using a triple roller mill.

35

**c) Manufacturing of capsule:**

40 This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 6**

5

**a) Composition of the Soft gelatin shell:**

	Name of the ingredient	Percent by wt.
10	Gelatin	30.0
	Propylene glycol	15.0
	Water	20.0
	Hydroxypropyl methyl cellulose phthalate	10.0

15 Gelatin mass is prepared by dispersing in water at 70°C. Hydroxypropyl methyl cellulose phthalate is dissolved in propylene glycol at 60 - 70°C. and mixed with the gelatin mass to obtain uniform mixture.

**b) Composition of the medicament:**

20

Name of the ingredient	mg / Capsule
Soybean oil	280.0mg
Omeprazole	20.0mg
25 Meglumine	20.0mg
Lecithin	30.0mg

30 Lecithin is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**c) Manufacturing of capsule:**

35 This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 7****a) Composition of the Soft gelatin shell:**

5	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	35.0
	Glycerin	17.5
10	Water	20.0
	Polyvinylacetate phthalate (PVAP)	7.5
	Ammonia solution (25%w/v)	20.0
15	Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Polyvinylacetate phthalate is dissolved by stirring into ammonia solution at room temperature. Polyvinylacetate phthalate solution in ammonia is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.	

**b) Composition of the medicament:**

20	<b>Name of the ingredient</b>	<b>mg / capsule</b>
25	Sunflower oil	200.0mg
	Cremophor RH 40	40.0mg
	Lansoprazole	30.0mg
	Disodium hydrogen orthophosphate Anhydrous	30.0mg
30	Cremophor RH 40 is dispersed in sunflower oil at 30°C. After cooling to room temperature Lansoprazole and disodium hydrogen orthophosphate are dispersed into the mixture in the form of fine particles with the help of a mechanical stirrer and / or a homogeniser.	

**c) Manufacturing of capsule:**

40 This gelatin mixture is transferred to the holding tank of a rotary die capsulation machine for manufacture of a capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by a rotary die process.

**EXAMPLE - 8****a) Composition of the Soft gelatin shell:**

5	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	35.0
	Glycerine	10.0
	Triethyl citrate	7.5
10	Water	20.0
	Methacrylic acid co-polymer Type - C	7.5
	Ammonia solution (25%w/v)	20.0

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water triethyl citrate and glycerin maintained at 70°C. Methacrylic acid co-polymer Type - C is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

**b) Composition of the medicament:**

25	<b>Name of the ingredient</b>	<b>mg / Capsule</b>
	Soybean oil	280.0
	Omeprazole	20.0
	Meglumine	20.0
30	Colloidal silicon dioxide	6.0

Colloidal silicon dioxide is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**35 c) Manufacturing of capsule;**

40 This gelatin mixture is transferred to the holding tank of rotary die capsulation machine for manufacture of capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by rotary die process.

**EXAMPLE - 9****a) Composition of the Soft gelatin shell:**

5		
	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	30.0
	Glycerin	15.0
10	Water	20.0
	Polyvinyl acetate phthalate	10.0
	Ammonia solution (25%w/v)	25.0

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water and glycerin maintained at 70°C. Polyvinyl acetate phthalate is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel to remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution  
20 and gelatin mass.

**b) Composition of the medicament :**

25	<b>Name of the ingredient</b>	<b>mg / Capsule</b>
	Sun flower oil	280.0mg
	Omeprazole	20.0mg
	Meglumine	20.0mg
30	Lecithin	30.0mg

Lecithin is dispersed into Sun flower oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**35 c) Manufacturing of capsule:**

This gelatin mixture is transferred to the holding tank of rotary die capsulation machine for manufacture of capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation  
40 machine for filling into the soft gel capsules. The soft gel capsules are manufactured by rotary die process.

**EXAMPLE - 10****a) Composition of the Soft gelatin shell:**

5	<b>Name of the ingredient</b>	<b>Percent by wt.</b>
	Gelatin	40.0
	Triethyl citrate	7.5
10	Glycerin	10.0
	Water	20.0
	Methacrylic acid co-polymer Type - A	7.5
	Ammonia solution (25%w/v)	17.5

15 Gelatin mass is prepared by dispersing gelatin in a mixture of water Triethyl citrate and glycerin maintained at 70°C. Methacrylic acid co-polymer Type - A is dissolved by stirring in to ammonia solution at room temperature. The polymer solution is added to gelatin mass while stirring the mass maintained at 45 - 50°C. Vacuum is applied to the mixing vessel  
20 to remove the ammonia evolved and to obtain bubble free transparent mixture of polymer solution and gelatin mass.

**b) Composition of the medicament:**

25	<b>Name of the ingredient</b>	<b>mg / Capsule</b>
	Soybean oil	280.0mg
	Omeprazole	20.0mg
	Meglumine	20.0mg
30	Colloidal silicon dioxide	30.0mg

Colloidal silicon dioxide is dispersed into soybean oil using a mechanical stirrer. Omeprazole and meglumine are added to the dispersion while stirring to obtain a smooth dispersion.

**c) Manufacturing of capsule:**

40 This gelatin mixture is transferred to the holding tank of rotary die capsulation machine for manufacture of capsule shell. The dispersion containing medicament is transferred to the hopper of the capsulation machine for filling into the soft gel capsules. The soft gel capsules are manufactured by rotary die process.

**The advantages of the present invention are:**

- 5 1) Simple method of manufacturing, when compared to the methods disclosed in the prior art making the process economical.
- 10 2) Improved bioavailability when compared to the solid enteric coated pellets and tablets as the medicament is solubilised or suspended in the form of very fine particles in the liquid / semisolid pharmaceutical composition filled into the soft gel capsule.
- 15 3) The reactive acidic groups of enteric polymers are in minimal contact with the active ingredient as the polymer is mixed into large amount of gelatin mass. Only small amounts of alkaline reactive material is required to neutralize the free fatty acids in the oily substances and free acidic reacting groups of enteric polymer in contact with the active ingredient on inner surface of the shell.
- 20 4) The soft gel does not require any protective sub-coating. Consequently the active ingredient quickly dissolves into the intestinal fluid once the gastric resistant but intestinal soluble gelatin composition is dissolved.
- 25 5) The soft gel capsules are simple in composition and therefore do not require any sophisticated equipment for manufacturing.



ART 31 AINDT

MARKED UP VERSION

10/089611  
JC10 Rec'd PCT/PTO 29 MAR 2002

WO 01/24780

PCT/IN00/00079

**We claim:**

- 5 1. A pharmaceutical composition in form of a soft gel capsule resistant to gastric juice and soluble in intestine useful for the treatment of duodenal ulcers and related ailments which comprises of a gelatin shell resistant to gastric juice and soluble in intestine having an enteric polymer mixed into gelatin in the form of free acid or its salt and the capsule incorporating a composition comprising of benzimidazole  
10 derivative, a hydrophobic oily substance or a mixture of such oily substances, an alkaline inert reacting material, a suspending agent, a surface active agent and / or a solubilising agent; wherein the capsules are insoluble in aqueous medium up to a pH of 5.5 but quickly dissolving above pH of 6.0.
- 15 2. A pharmaceutical composition as claimed in claim 1 wherein the benzimidazole derivative, is selected from medicaments such as omeprazole, lansoprazole, pantoprazole, timoprazole and the like and the amount present in the formulation is equivalent to one unit dose of  
20 selected benzimidazole derivative.
- 25 3. A pharmaceutical composition as claimed in claim[s] 1 [~~&~~ 2] wherein the enteric polymer employed for coating the gelatin shell is selected from polymers such as hydroxypropyl methyl cellulose phthalate, alkyl methacrylate and methacrylic acid copolymers, polyvinyl acetate phthalate and the like in the form of free acid or their ammonia or alkali metal salts and the amount employed ranging from 5.0 to 40.0 percent, preferably 5.0 to 25.0 percent by weight, with reference to the dried shell.
- 30 4. A pharmaceutical composition as claimed in claim[s] 1 [~~to~~ 3] wherein the benzimidazole derivative in the formulation is suspended / solubilised in a hydrophobic oily substance selected from fats and oils of vegetable origin such as sesame oil, corn oil, maize oil, soybean oil, sunflower oil, arachis oil, gingly oil and the like; animal origin such as  
35 fish oil, pig oil, beef oil and the like; esters of straight chain aliphatic oils such as Sunsoft 700 P-2 (Taiho chemical company) Panasete 810 (Nippon oils and Fats); hydrogenated vegetable oils or a mixture thereof and the amount of hydrophobic oily substance used ranging from 50.0  
40 to 80.0 percent by weight, with reference to the contents filled in capsules.

- 5 5. A pharmaceutical composition as claimed in claim[s] 1 [to 4] wherein substances such as colloidal silicon dioxide, polyvinylpyrrolidone are used as dispersing agents in an amount ranging from 0.5 to 20.0 percent preferably 1.0 to 10.0 percent by weight and materials such as glyceryl monostearate, lecithin, polyoxyethylene castor oil derivative such as  
10 Cremophor RH 40, Cremophor EL (BASF) polyoxyethylene sorbitan fatty acid esters, sodium lauryl sulphate, docusate sodium and the like are used as surface active agent and / or a solubilising agent and the amount of surface active agent and/or solubilising agent ranging from 2.0 to 20.0 percent, preferably 5.0 to 15.0 percent by weight, with reference  
15 to the contents filled in capsule.
6. A pharmaceutical composition as claimed in claim[s] 1 [to 5] wherein materials such as the sodium, potassium, calcium, magnesium and aluminium salts of phosphoric acid, carbonic acid, citric acid, other  
20 suitable organic or inorganic acids; substances used in antacid preparations; meglumine; triethanolamine and the like are used as alkaline inert reacting materials and the amount ranging from 5.0 to 40.0 percent, preferably 10.0 to 25.0 percent by weight, with reference to the contents filled in capsule.
- 25 7. A pharmaceutical composition as claimed in claim[s] 1 [to 6] wherein the soft gel capsules are treated with a gelatin cross linking agent such as formaldehyde, glutaraldehyde, crotonaldehyde, 1,2-phthalic acid aldehyde, 1,3-phthalic acid aldehyde, 1,4-phthalic acid aldehyde;  
30 carboimides such as 1-ethyl-3-[2-morpholinyl-(4)-ethyl]-carboimide-metho-P-toluene-sulfonate and the like.
8. A pharmaceutical composition as claimed in claim[s] 1 [to 7] wherein the soft gel capsules are treated with cold dilute solutions of acids  
35 selected from hydrochloric acid, sulphuric acid, nitric acid, phosphoric acid, citric acid, propionic acid, benzoic acid, oxalic acid, maleic acid, fumaric acid and the like.
9. A process for the preparation of a pharmaceutical composition in the  
40 form of a soft gel capsule resistant to gastric juice and soluble in intestine useful for the treatment of duodenal ulcers and related ailments

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
12 April 2001 (12.04.2001)

PCT

(10) International Publication Number  
**WO 01/24780 A2**

(51) International Patent Classification<sup>7</sup>: **A61K 9/52,**  
31/4439

Natco House, Road No. 2, Banjara Hills, Hyderabad 500  
033 (IN).

(21) International Application Number: PCT/IN00/00079

(22) International Filing Date: 25 August 2000 (25.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
968/MAS/99 1 October 1999 (01.10.1999) IN

(71) Applicant (*for all designated States except US*): **NATCO  
PHARMA LIMITED** [IN/IN]; Natco House, Road No. 2,  
Banjara Hills, Hyderabad 500 033 (IN).

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ,  
BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK,  
DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,  
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,  
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT,  
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,  
UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— Without international search report and to be republished  
upon receipt of that report.

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(72) Inventors; and  
(75) Inventors/Applicants (*for US only*): **VENKATESWARA  
RAO, Pavuluri** [IN/IN]; Manager R & D (F), Natco  
Pharma Limited, Natco House, Road No. 2, Banjara  
Hills, Hyderabad 500 033 (IN). **KHADGAPATHI, Podili**  
[IN/IN]; Director - Technical, Natco Pharma Limited,

(54) Title: AN IMPROVED PHARMACEUTICAL COMPOSITION AND A PROCESS FOR ITS PREPARATION

(57) Abstract: The present invention relates to an improved pharmaceutical composition, in the form of a soft gel capsule resistant to digestive juice. The composition of the present invention is made up of gelatin and an enteric polymer in the form of free acid or its salts, containing a benzimidazole derivative used in the treatment of duodenal ulcers, solubilised and/or suspended in a liquid or semisolid medium, comprising of a hydrophobic carrier, an alkaline inert reacting material and a surface active agent and/or a solubilising agent. The present invention also relates to a method for preparing the above said pharmaceutical composition.

WO 01/24780 A2

Attorney Docket No. 13102.6USWO

MERCHANT &amp; GOULD P.C.

United States Patent Application

## COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: AN IMPROVED PHARMACEUTICAL COMPOSITION AND A PROCESS FOR ITS PREPARATION

The specification of which

- a. ☐ is attached hereto  
b. ☒ was filed on March 29, 2002 as application serial no. 10/089611 and was amended on (if applicable) (in the case of a PCT-filed application) described and claimed in international no. PCT/IN00/00079 filed August 25, 2002 and as amended on (if any), which I have reviewed and for which I solicit a United States patent.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119/365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on the basis of which priority is claimed:

- a. ☐ no such applications have been filed.  
b. ☒ such applications have been filed as follows:

FOREIGN APPLICATION(S), IF ANY, CLAIMING PRIORITY UNDER 35 USC § 119			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
INDIA	96N/MAS/99	1-OCTOBER-1999	
ALL FOREIGN APPLICATION(S), IF ANY, FILED BEFORE THE PRIORITY APPLICATION(S)			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)

I hereby claim the benefit under Title 35, United States Code, § 120/365 of any United States and PCT international application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below:

U.S. PROVISIONAL APPLICATION NUMBER	DATE OF FILING (Day, Month, Year)

I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Ali, M. Jeffer	Reg. No. 46,359
Altera, Allan G.	Reg. No. 40,274
Anderson, Gregg I.	Reg. No. 28,828
Batzli, Brian H.	Reg. No. 32,960
Beard, John L.	Reg. No. 27,612
Berns, John M.	Reg. No. 43,496
Branch, John W.	Reg. No. 41,633
Brown, Jeffrey C.	Reg. No. 41,643
Bruess, Steven C.	Reg. No. 34,130
Burnham, Jonelle	Reg. No. 41,980
Byrne, Linda M.	Reg. No. 32,404
Campbell, Keith	Reg. No. 46,597
Carlson, Alan G.	Reg. No. 25,959
Caspers, Philip P.	Reg. No. 33,227
Clifford, John A.	Reg. No. 30,247
Cook, Jeffrey	Reg. No. 48,649
Daignault, Ronald A.	Reg. No. 25,968
Daley, Dennis R.	Reg. No. 34,994
Daulton, Julie R.	Reg. No. 36,414
DeVries Smith, Katherine M.	Reg. No. 42,157
DiPietro, Mark J.	Reg. No. 28,707
Doscutch, Matthew A.	Reg. No. 48,957
Edell, Robert T.	Reg. No. 20,187
Epp Ryan, Sandra	Reg. No. 39,667
Fitzsimmons, Karen A.	Reg. No. P-50,470
Goff, Jared S.	Reg. No. 44,716
Goggin, Matthew J.	Reg. No. 44,125
Golla, Charles E.	Reg. No. 26,896
Gorman, Alan G.	Reg. No. 38,472
Gould, John D.	Reg. No. 18,223
Gregson, Richard	Reg. No. 41,804
Gresens, John J.	Reg. No. 33,112
Hamer, Samuel A.	Reg. No. 46,754
Hamre, Curtis B.	Reg. No. 29,165
Harrison, Kevin C.	Reg. No. 46,759
Hennings, Mark	Reg. No. 48,982
Hertzberg, Brett A.	Reg. No. 42,660
Hillson, Randall A.	Reg. No. 31,838
Holzer, Jr., Richard J.	Reg. No. 42,668
Hope, Leonard J.	Reg. No. 44,774
Horsby, III, Alton	Reg. No. 47,299
Jardine, John S.	Reg. No. 48,835
Johns, Nicholas P.	Reg. No. 48,995
Johnston, Scott W.	Reg. No. 39,721
Kadievitch, Natalie D.	Reg. No. 34,196
Kalinsky, Robert A.	Reg. No. 50,471
Kettelberger, Denise	Reg. No. 33,924
Keys, Jerramie J.	Reg. No. 42,724
Knearl, Homer L.	Reg. No. 21,197
Kowalchuk, Alan W.	Reg. No. 31,535

Leonard, Christopher J.
Liepa, Mara E.
Lindquist, Timothy A.
Lown, Jean A.
McDonald, Daniel W.
McIntyre, Jr., William F.
Mueller, Douglas P.
Nelson, Anna M.
Parsons, Nancy J.
Pauly, Daniel M.
Phillips, John B.
Pino, Mark J.
Prendergast, Paul
Pytel, Melissa J.
Qualey, Terry
Randall, Joshua N.
Reich, John C.
Reiland, Earl D.
Schmaltz, David G.
Schuman, Mark D.
Schumann, Michael D.
Scull, Timothy B.
Sebald, Gregory A.
Skoog, Mark T.
Spellman, Steven J.
Stewart, Alan R.
Stoll-DeBell, Kirstin L.
Sullivan, Timothy
Sumner, John P.
Swenson, Erik G.
Telickson, David K.
Trembath, Jon R.
Tunheim, Marcia A.
Underhill, Albert L.
Vandenburgh, J. Derek
Wahl, John R.
Weaver, Paul L.
Welter, Paul A.
Whipps, Brian
Whitaker, John E.
Wier, David D.
Williams, Douglas J.
Withers, James D.
Wong, Bryan A.
Wong, Thomas S.
Young, Thomas
Zcull, Anthony R.

Reg. No. 41,940
Reg. No. 40,066
Reg. No. 40,701
Reg. No. 48,428
Reg. No. 32,044
Reg. No. 44,921
Reg. No. 30,300
Reg. No. 48,935
Reg. No. 40,364
Reg. No. 40,123
Reg. No. 37,206
Reg. No. 43,858
Reg. No. 46,068
Reg. No. 41,512
Reg. No. 25,148
Reg. No. 50,719
Reg. No. 37,703
Reg. No. 25,767
Reg. No. 39,828
Reg. No. 31,197
Reg. No. 30,422
Reg. No. 42,137
Reg. No. 33,280
Reg. No. 40,178
Reg. No. 45,124
Reg. No. 47,974
Reg. No. 43,164
Reg. No. 47,981
Reg. No. 29,114
Reg. No. 45,147
Reg. No. 32,314
Reg. No. 38,344
Reg. No. 42,189
Reg. No. 27,403
Reg. No. 32,179
Reg. No. 33,044
Reg. No. 48,640
Reg. No. 20,890
Reg. No. 43,261
Reg. No. 42,222
Reg. No. 48,229
Reg. No. 27,054
Reg. No. 40,376
Reg. No. 50,836
Reg. No. 48,577
Reg. No. 25,796
Reg. No. 45,255

Kowalchyk, Alan W.  
Kowalchyk, Katherine M.  
Lamberty, Michael  
Lucy, Paul E.  
Larson, James A.

Reg. No. 31,535  
Reg. No. 36,848  
Reg. No. 50,760  
Reg. No. 38,946  
Reg. No. 40,443

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED  
DATE 08-11-01 BY 60322 UCBAW

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Merchant & Gould P.C. to the contrary.

JUN-25-2002 17:17 FROM: NATCO PHARMA LTD 91483548243

JUN-17-02 06:04PM FROM: Merchant & Gould

6123320081

TO: 0016123329081

T-202 P.007/007 F-224

P:5

I understand that the execution of this document, and the grant of a power of attorney, does not in itself establish an attorney-client relationship between the undersigned and the law firm Merchant & Gould P.C., or any of its attorneys. Please direct all correspondence in this case to Merchant & Gould P.C. at the address indicated below.

Merchant & Gould P.C.  
P.O. Box 2903  
Minneapolis, MN 55402-0903



I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statement may jeopardize the validity of the application or any patent issued thereon.

2	Full Name Of Inventor	Family Name	First Given Name	Second Given Name
		RAO	PAVULURI	VENKATESWARA
0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
		BANJARA HILLS, HYDERABAD	INDIA	INDIA
2	Mailing Address	Address	City	State & Zip Code/Country
		c/o NATCO PHARMA LIMITED NATCO HOUSE, ROAD NO. 2	BANJARA HILLS, HYDERABAD	500 033/INDIA
Signature of Inventor 201:			Date:	
			21/06/02	
2	Full Name Of Inventor	Family Name	First Given Name	Second Given Name
		KHADGAPATHI	PODILI	
0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
		BANJARA HILLS, HYDERABAD	INDIA	INDIA
2	Mailing Address	Address	City	State & Zip Code/Country
		c/o NATCO PHARMA LIMITED NATCO HOUSE, ROAD NO. 2	BANJARA HILLS, HYDERABAD	500 033/INDIA
Signature of Inventor 202:			Date:	
			21/06/02	

I acknowledge the duty to disclose information that is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (reprinted below):

**§ 1.56 Duty to disclose information material to patentability.**

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
  - (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim;
- or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
    - (i) Opposing an argument of unpatentability relied on by the Office, or
    - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
- (1) Each inventor named in the application;
  - (2) Each attorney or agent who prepares or prosecutes the application; and
  - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.
- (e) In any continuation-in-part application, the duty under this section includes the duty to disclose to the Office all information known to the person to be material to patentability, as defined in paragraph (b) of this section, which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.